2003 Maine STD Incidence

During the period January 1, 2003 to September 30, 2003, the Bureau of Health received reports of 1,515 chlamydia diagnoses, 147 gonorrhea diagnoses, and 11 cases of infectious syphilis. All three of these diseases continue to be diagnosed at elevated levels. The number of gonorrhea reports received thus far in 2003 is 41% greater than the number received during the same time period last year. A higher volume of chlamydia has also been reported, with a 28% increase over the 2002 to-date total. At this time last year only two cases of syphilis had been reported, indicating an increase for this disease, as well.

Gonorrhea and syphilis were seen most frequently among residents of central and southern Maine, while chlamydia diagnoses were distributed evenly throughout the state. Men who have sex with men (MSM) are disproportionately affected by gonorrhea and syphilis, comprising 45% of gonorrhea diagnoses and eight of the 11 syphilis diagnoses. Chlamydia infections were most often diagnosed in young people between the ages of 15 and 24 years old, with this age group accounting for 76% of diagnoses this year. The table below shows specific information for 2003 Chlamydia and Gonorrhea diagnoses.

Chlamydia and Gonorrhea Diagnoses in Maine, January to September, 2003

(rounded percents are listed in parentheses)

Sex	Chlamydia reported since 1/1/2003	Gonorrhea reported since 1/1/2003
Male	432 (29)	107 (73)
Female	1083 (71)	40 (27)
Total	1515 (100)	147 (100)
Race	Chlamydia reported since 1/1/2003	Gonorrhea reported since 1/1/2003
White	1192 (79)	123 (84)
Black or African American	33 (2)	14 (10)
Asian	13 (1)	0
American Indian/Alaska Native	8 (1)	1 (1)
Native Hawaiian/other Pacific Islander	0	0
More than one Race	0	0
Some Other Race	3 (<1)	1 (1)
Unknown	266 (18)	8 (5)
Total	1515 (100)	147 (100)
	Chlamydia reported since	Gonorrhea reported since
Ethnicity	1/1/2003	1/1/2003
Hispanic	5 (<1)	4 (3)
Not Hispanic	1235 (82)	136 (93)
Unknown	275 (18)	7
Total	1515 (100)	147 (100)
Age	Chlamydia reported since 1/1/2003	Gonorrhea reported since 1/1/2003
less than 15	12 (1)	0
15-19	542 (36)	22 (15)
20-24	603 (40)	47 (32)
25-29	188 (12)	21 (14)
30-39	125 (8)	41 (28)
40-54	29 (2)	14 (10)
55+	0	0
Age Unknown	16 (1)	2 (1)
Total	1515 (100)	147 (100)
Region of Residence	Chlamydia reported since 1/1/2003	Gonorrhea reported since 1/1/2003
Northern ¹	352 (23)	10 (7)
Central ²	607 (40)	54 (37)
Southern ³	504 (33)	82 (56)
Unknown	52 (3)	1 (1)
Total	1515 (100)	147 (100)

Northern Maine: Aroostook, Hancock, Penobscot, Piscataquis and Washington Counties.

²Central Maine: Androscoggin, Franklin, Kennebec, Knox, Lincoln, Oxford, Sagadahoc, Somerset, Waldo Counties.

³Southern Maine: Cumberland and York Counties.